

| L Number | Hits | Search Text   | DB   | Time stamp          |
|----------|------|---|--|---------------------|
| -        | 11   | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4)))                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/21<br>15:44 |
| -        | 4    | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and ((field value data information) near10 detect\$4) and (set\$4 near10 (bit byte field parameter\$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) and (ping\$4 arp echo\$4) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/21<br>15:47 |
| -        | 3    | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (match\$4 near10 address\$4 same destination same (physical logic\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/21<br>16:49 |
| -        | 8    | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (compar\$5 near10 address\$4 same destination same (physical logic\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/21<br>16:57 |
| -        | 45   | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (match\$4 near10 address\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/21<br>16:57 |
| -        | 62   | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>11:21 |
| -        | 16   | (((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and (compar\$5 near10 address\$4 same destination)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/21<br>16:58 |
| -        | 7    | (((((ip (internet\$4 protocol)) near5 address\$4) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) near10 equal\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>10:45 |
| -        | 32   | (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>12:18 |

|   |    |   |  |                     |
|---|----|---|--|---------------------|
| - | 10 | (((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>12:18 |
| - | 1  | (((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>12:28 |
| - | 30 | (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>13:02 |
| - | 88 | ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 differ\$7) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:29 |
| - | 25 | ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 differ\$7) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>13:22 |
| - | 7  | ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10 equal\$4) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>14:13 |

|   |     |   |  |                     |
|---|-----|---|--|---------------------|
| - | 8   | ((ip (internet\$4 protocol) logic\$2) near5 address\$4 near6 destination\$4 near10 equal\$4) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>13:25 |
| - | 26  | ((ip (internet\$4 protocol) logic\$2) near5 address\$4 near6 destination\$4 near10 differ\$7) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>13:31 |
| - | 159 | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) and ((ip (internet\$4 protocol) near5 address\$4 near6 destination\$4 )  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:29 |
| - | 37  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) and ((ip (internet\$4 protocol) near5 address\$4 near6 destination\$4 same (configur\$4 set\$4) near10 ((ip (internet\$4 protocol)) near5 address\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>14:23 |
| - | 60  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) and ((mac (media adj3 control\$4) physical\$4) near5 address\$4 near6 destination\$4 )   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>14:35 |
| - | 11  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) same ((mac (media adj3 control\$4) physical\$4) near5 address\$4 near6 destination\$4 )  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/22<br>14:59 |
| - | 322 | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip (internet\$4) near5 address\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:28 |
| - | 64  | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip (internet\$4) near5 address\$4 near10 (set setting))))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:27 |
| - | 19  | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip (internet\$4) near5 address\$4 near10 (set setting))) and ((ip (internet\$4) near5 address\$4)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/25<br>09:37 |

|   |     |  |  |                     |
|---|-----|--|--|---------------------|
| - | 13  | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting)))) and (siz\$4 length\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/25<br>09:27 |
| - | 153 | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/25<br>11:13 |
| - | 16  | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4)) and ((ip internet\$4) near5 address\$4)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/25<br>11:03 |
| - | 9   | ((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/25<br>11:22 |
| - | 3   | (set setting) near5 (predetermin\$6 near5 (data information parameter header)) and ((revers\$4 near4 (arp (address\$4 adj resolution adj protocol)) rarp))   | USPAT                                      | 2003/05/30<br>13:47 |
| - | 131 | ((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18<br>11:53 |
| - | 48  | ((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4) near10 destination\$4) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>10:19 |
| - | 35  | ((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>10:20 |
| - | 24  | (set setting) near5 (predetermin\$6 near5 (data information parameter header)) same (icmp echo ping)   | USPAT                                      | 2003/11/17<br>10:20 |
| - | 26  | ((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4)) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:23 |
| - | 493 | (set setting reset\$5) with ((factor\$4) with address\$4)  | USPAT                                      | 2003/11/18<br>18:01 |
| - | 356 | ((factory factories) with address\$4)  | USPAT                                      | 2003/11/18<br>10:11 |
| - | 2   | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) and ((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4) and (((factory factories) with address\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:29 |
| - | 4   | ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip internet\$4) near5 address\$4) and (((factory factories) with address\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/17<br>14:31 |
| - | 77  | ((factory default\$4 factories) with address\$4) and (default\$4 same (factory factories))   | USPAT                                      | 2003/11/17<br>14:40 |

|   |     |  |  |                     |
|---|-----|--|--|---------------------|
| - | 30  | ((factory default\$4 factories) with address\$4) and (default\$4 same (factory factories))) and (echo icmp ping arp rarp)  | USPAT                                      | 2003/11/17<br>16:12 |
| - | 30  | ((factory factories) with address\$4) and (echo icmp ping arp rarp)  | USPAT                                      | 2003/11/17<br>16:12 |
| - | 10  | ((factory factories) with address\$4) and (echo icmp ping arp rarp)) not ((factory default\$4 factories) with address\$4) and (default\$4 same (factory factories))) and (echo icmp ping arp rarp))  | USPAT                                      | 2003/11/17<br>16:13 |
| - | 709 | (icmp ping echo) same (set\$4 reset\$4) same address\$4  | USPAT                                      | 2003/11/18<br>10:12 |
| - | 108 | (icmp ping echo) with (set\$4 reset\$4) with address\$4  | USPAT                                      | 2003/11/18<br>10:12 |
| - | 13  | ((icmp ping arp rarp echo) with (set\$4 reset\$4) with address\$4) same((compar\$4 match\$4) with address\$4)  | USPAT                                      | 2003/11/18<br>10:13 |
| - | 114 | ((icmp ping arp rarp echo) with (set\$4 reset\$4) with address\$4) and ((compar\$4 match\$4) with address\$4)  | USPAT                                      | 2003/11/18<br>11:01 |
| - | 160 | ((ip internet\$4) with address\$4 with (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18<br>11:54 |
| - | 48  | ((ip internet\$4) with address\$4 with (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) and ((compar\$4 match\$4) with address\$4) and ((set\$5 chang\$4 updat\$4 refreash\$4 reset\$5) with ip with address\$4)  | USPAT                                      | 2003/11/18<br>11:55 |
| - | 394 | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with address\$4))  | USPAT                                      | 2003/11/18<br>13:11 |
| - | 77  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)  | USPAT                                      | 2003/11/18<br>18:02 |
| - | 26  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) same ((compar\$4 match\$4) with address\$4)   | USPAT                                      | 2003/11/18<br>13:12 |
| - | 27  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)  | USPAT                                      | 2003/11/18<br>13:15 |
| - | 50  | ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with address\$4)) not ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with mac with address\$4)) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18<br>14:01 |
| - | 443 | ((set setting reset\$5) with (factory factories manufact\$6) with address\$4)  | USPAT                                      | 2003/11/18<br>18:02 |

|   |    |  |       |                     |
|---|----|--|-------|---------------------|
| - | 0  | ( ((set setting reset\$5) with (factory factories manufact\$6) with address\$4)) and ((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol) ping arp rarp echo) with ((set\$5 chang\$4 updat\$4 refreash\$4 assign\$4 reset\$5) with (ip internet) with address\$4)) and ((compar\$4 match\$4) with (mac media hardware) with address\$4) | USPAT | 2003/11/18<br>18:03 |
| - | 17 | ( ((set setting reset\$5) with (factory factories manufact\$6) with address\$4)) and ((compar\$4 match\$4) with (mac media hardware) with address\$4)  | USPAT | 2003/11/18<br>18:11 |